

http://www.dkcity.com E-mail: sales@dkcity.com (P)+886-4-25321000 (F)+886-4-25325000 No. 1, Lane 160, Sec. 2, Tan-Fu Road, Tan-Tzu District, Taichung City, Taiwan R.O.C.









#### **ULTIMATE YOUR WORKOUT EXPERIENCE**

18.5" LED, 18.5 TFT-LCD, 10" LED and 10" TFT-LCD these 4 consoles are equipped with GEM module

paring up your workout application via Bluetooth or Ant+ then you are good to choose the application that fit you the best Join DK city and create your own special workout training















(optional)



#### **HI-TECH TOUCH SCREEN**

Paired with the new technologies, more accurate multi-touch interfaces to provide not only the high efficiency but also more entertainment in your workout routine.

#### **MIRROR CAST**

Mirror cast is a wonderful technology that allows you to easily project your smartphone or tablet screen on the screen of console of fitness equipment.

#### **VIRTUAL ACTIVE**

Virtual Active is an expressive video experience which transports you to iconic trails, roads, cities, and landscapes, turning indoor exercise into an outdoor adventure to enhance your cardio workout.

#### **PHYSICAL TEST**

Built-in U.S. Army Physical Fitness Test programs are designed to test the muscular strength, endurance, and cardiovascular respiratory fitness as the soldiers' training in the United States Army.









#### LIFESTYLE WEBVIEW

Built-in WebView with big icons to easy control the touch screen with more entertainment in your workout routine.

#### **REAL TIME WORKOUT**

Deliver incredibly detailed performance feedback in real-time to stimulate your performance in each training that you can review to make better decisions for suitable training to reach your goal.

#### INTERACTIVE WORKOUT APP

Become your own personal trainer to provide outstanding running experience with more entertainment with your smart devices which make an excellent workout companion to help you get healthy and stay fit.

03





**F-22** 

# F-22

CONSOLE	CONSOLE TYPE	LCD
	CONSOLE POWER	4 AAA BATTERIES REQUIRED
DATA READOUT	DISPLAY	TOLTAL TIME, TIME, DISTANCE, CALORIES, WATTS, SPEED,
		RPM, PULSE, INTERVAL
PROGRAMING	MANUAL	1
	INTERVAL USER	1
	INTERVAL 20/10	1
	INTERVAL 10/20	1
	TARGET HR	1
	TARGET CALORIES	1
	TARGET DISTANCE	1
	TARGET TIME	1
PRODUCT FEATURE	TV SYSTEM	
	BTM FUNCTION	
	USB Charging	-
	BOTTLE HOLDER	
	ACCESSORY TRAY	
	ERGO SEAT ADJUSTMENT	
	PEDAL ADJUSTMENT	
	TRANSPORTATION WHEEL	
TECHNICAL SPEC	RESISTANCE SYSTEM	AIR
	TRANSMISSIONS SYSTEM	V-BELT
	FLY WHEEL	402MM (4.7KG)
	TRANSMISSIONS RATIO	1:9.7
	RESISTANCE LEVEL	1
	POWER	BATTERY(CONSOLE)
	ADAPTER	
	MAX. USER WEIGHT	140KG (310lbs)
	MAX. WATT	250watt
	STRIDING LENGTH	
	HAND PULSE	-
	HEART RATE RECEIVER	
DIMENSION	WIRELESS CHEST STRAP	0
	LxWxH	1326 x 780 x 1445 MM (52.2" x 30.7" x 56.9")
	UNIT WEIGHT	67 KG (147.71 lbs)





Air resistance from the fan in a workout intensity effectively increases calorie expenditure, benefits both aerobic and anaerobic systems development, and also contributes to a greater after-burn effect.

# HIGH MOMENTUM FAN WHEEL SYSTEM

Deliver a fluid and an effective cardiovascular workout to increaseyour fitness level.

# UNLIMITED RESISTANCE PROVIDED BY AIR

Power your legs and arms faster or slower to determine your resistance. Ramp up resistance automatically through pushing, pulling and pedaling with greater speed and force.

# DUAL-ACTION HANDLEBARS AND ADJUSTABLE SEAT CUSHION

Be engaged in a total-body workout. Adjustable seat provides a quick and easy way to set your most comfortable position!













# **E-22R**

E-22R.1

E-22R.2

		L LLINI	
CONSOLE	CONSOLE TYPE	LED DOT-MATRIX	TFT-LCD 10.1" CAPACITIVE TOUCH
DATA READOUT	DISPLAY	TIME, SPEED, RPM, DISTANCE, PULSE, CALORIES, WATT	HEART RATE, HEART RATE ZONE, VO2, DISTANCE, TIME, RPM, WATT, CALORIES LEVEL, WORKOUT PROFILE
PROGRAMING	PRESET PROGRAM	6	74
	HRC	6	5
	TEST	2	-
	MANUAL	1	1
	USER	-	-
	GOAL	3	3
	WATT	1	1
	RPM	-	1
	RECOVERY	-	1
	CUSTOM	(*)	YES
	VIRTUAL ACTIVE	-	YES
PRODUCT	MULTIMEDIA	1-	DTV, MIRROR CAST, HDMI IN, WEBVIEW
FEATURE	FAN	•	•
	BTM FUNCTION	0	•
	NFC	-	0
	QR CODE	(=)	•
	USB CHARGING	•	•
	BOTTLE HOLDER	•	•
	ACCESSORY TRAY	•	•
	ERGO SEAT ADJUSTMENT	-	1-
	PEDAL ADJUSTMENT	-	-
	TRANSPORTATION WHEEL	•	•
TECHNICAL	RESISTANCE SYSTEM	GENERATOR	
SPEC	TRANSMISSIONS SYSTEM	V-BELT	
	FLY WHEEL	242 MM (14.5 KG)	
	TRANSMISSIONS RATIO	1:8.85	
	RESISTANCE LEVEL	40	
	POWER	GENERATOR	
	ADAPTER	•	
	MAX. USER WEIGHT	180 KG (400 LBS)	
	MAX. WATT	400 WATT	
	STRIDE LENGTH	480 MM	
	HAND PULSE	•	
	HEART RATE RECEIVER	•	
	WIRELESS CHEST STRAP	0	
DIMENSION	LxWxH	2203 x 700 x 1575 MM (86.7" x 27.8	
	UNIT WEIGHT	104.2 KG (229.7 LBS)	3 X 02 /



## THE MOST ADVANCED HI-TECH TOUCH SCREEN

Paired with the new technologies, more accurate multi-touch interfaces.

#### PERFECT STRIDE LENGTH

Perfect stride length between 480mm. Stride for a smooth feeling, total-body workout or focus more on your lower body.

## OVERSIZED PEDALS WITH NARROW SPACING

Narrow spacing design to create relatively high strength and slide prevention.

#### ERGO COMFORT HANDLEBARS

The motions you make while using E-22R elliptical are smooth and controlled.














# **AR-22**

#### AR-22.1

AR-22.2

		All LL.I	All LL.L
CONSOLE	DISPLAY TYPE	LED DOT-MATRIX	18.5" HD TFT-LCD, CAPACITIVE TOUCH
DATA READOUT	DISPLAY	TIME, DISTANCE, PULSE, CALORIES, SPEED, INCLINE	TIME, DISTANCE, PULSE, CALORIES, SPEED, INCLINE, PACE/MIN, VO2, LAF HEART RATE ZONE, SLED-PUSH LEVI (ONLY POR SLED-PUSH MODE), WORKOUT PROFILE
PROGRAMING	LEVEL	20	20
	PRESET PROGRAM	6	0
	HRC	3	5
	MANUAL	1	1
	GOAL	3	3
	USER		-
	PHYSICAL TEST	5	5
	TEST	1	2
	TRAINING	2	3
	CUSTOM		•
	VIRTUAL ACTIVE	-	•
	FREE RUN MODE	● (10 LEVEL/ 1 HRC/ 1 MANUAL/ 3 GOA	L)
	SLED-PUSH MOLD	○ (10 LEVEL/ 2 PRESET/ 1 HRC/ 1 MANU	JAL/ 3 GOAL)
PRODUCT	MULTIMEDIA	-	DTV, MIRROR CAST, HDMI IN, WEBVIEW
FEATURE	BTM FUNCTION	•	•
	NFC		0
	QR CODE		•
	SLED-PUSH MODE	•	•
	QUICK BUTTONS	•	•
	USB CHARGING	•	•
	BOTTLE HOLDER	•	•
TECHNICAL	CON. HP	AC 2.0 HP	
SPEC	PEAK HP	AC 4.0 HP	
	SPEED RANGE	0.8~25 KM/H 0.5~15.6 MPH	
	INCLINE RANGE	PROGRAM MODE: 0%-20%-201 LEVELS	\$
		FREE RUN OR SLED-PUSH MODE: 0%-	10%-101 LEVELS)
	ELECTROMAGNETIC BRAKE	•	
	MAX. USER WEIGHT	180 KG (400 LBS)	
	HAND PULSE	•	
	HEART RATE RECEIVER	•	
	FAN	•	
	RUNNING BELT	SLAT BELT	
	WIRELESS CHEST STRAP		
	RUNNING SURFACE	560 x 1470 MM (22" x 58")	
DIMENSION	LxWxH	1970 x 910 x 1640 MM (77.56" x 35.82" x 64	i.57")
	UNIT WEIGHT	241 KG (530.2 LBS)	





Use bodyweight and the friction of your foot to move the belt. Allow runners to self-regulate with every footfall. Helps to consume more oxygen, higher heart rates, and higher running cadence.

#### **WORKOUT APP**

New running experience with more entertainment in your workout routine

#### **DURABLE SLAT BELT**

Advanced maintenance-free belts, high performance, running quietly, running smoothly and high shock absorption capacity.

#### MIRROR CAST

Enjoy more convenient and entertainment with your smart device.











## **AR-23 DELUXE**

#### AR-23 DELUXE

CONSOLE	DISPLAY TYPE	LED DOT-MATRIX	
DATA READOUT	DISPLAY	TIME, DISTANCE, PULSE, CALORIES, SPEED, INCLINI	
PROGRAMING	LEVEL	15	
	PRESET PROGRAM	6	
	HRC	3	
	MANUAL	1	
	GOAL	3	
	USER	-	
	PHYSICAL TEST	5	
	TEST	1	
	TRAINING	2	
	CUSTOM	-	
	VIRTUAL ACTIVE	-	
	FREE RUN MODE	● (1 HRC / 1 MANUAL / 3 GOAL)	
	SLED-PUSH MOLD	),E	
PRODUCT FEATURE	MULTIMEDIA		
	BTM FUNCTION	0	
	NFC		
	QR CODE	-	
	SLED-PUSH MODE	-	
	QUICK BUTTONS	•	
	USB CHARGING	•	
	BOTTLE HOLDER	•	
TECHNICAL SPEC	CON. HP	AC 2.0 HP	
	PEAK HP	AC 4.0 HP	
	SPEED RANGE	0.8~25 KM/H 0.5~15.53 MPH	
	INCLINE RANGE	PROGRAM MODE: 0%-15%-16 LEVELS	
		FREE RUN MOLD: 0%~10%-11 LEVELS	
	ELECTROMAGNETIC BRAKE	•	
	MAX. USER WEIGHT	180 KG (400 LBS)	
	HAND PULSE	•	
	HEART RATE RECEIVER	•	
	FAN	•	
	RUNNING BELT	SLAT BELT	
DIMENSION	WIRELESS CHEST STRAP	0	
	RUNNING SURFACE	560 x 1470 MM (22" x 58")	
	LxWxH	1863 x 914 x 1600 MM (73.35" x 35.98" x 62.99")	
	UNIT WEIGHT	205 KG (451.95 LBS)	







#### FREE RUN MOLD

Use bodyweight and the friction of your foot to move the belt. Allow runners to self-regulate with every footfall.

#### MOTORIZED DRIVE SYSTEM

Speed and incline adjustment during workout. Suitable for longer training sessions.

#### **BIOMECHANICS**

Help to consume more oxygen, higher heart rates, and higher running cadence.

#### DURABLE SLAT BELT

Advanced maintenance-free belts, high performance, running quietly, running smoothly and high shock absorption capacity.





# **AR-23**

#### AR-23.1

		= 0.1	
CONSOLE	DISPLAY TYPE	7" LCD WITH BACK LIGHT	
DATA READOUT	DISPLAY	TIME, DISTANCE, PULSE, CALORIES, SPEED, INCLINE	
PROGRAMING	LEVEL	10	
	PRESET PROGRAM	7	
	HRC	3	
	MANUAL	1	
	GOAL	0	
	USER	4	
	PHYSICAL TEST	-	
	TEST		
	TRAINING	-	
	CUSTOM	-	
	VIRTUAL ACTIVE		
	FREE RUN MODE	-	
	SLED-PUSH MOLD		
PRODUCT FEATURE	MULTIMEDIA	4	
	BTM FUNCTION	0	
	NFC	(e)	
	QR CODE		
	SLED-PUSH MODE	10	
	QUICK BUTTONS	•	
	USB CHARGING	•	
	BOTTLE HOLDER	•	
TECHNICAL SPEC	CON. HP	AC 1.5 HP	
	PEAK HP	AC 3.0 HP	
	SPEED RANGE	0.8~20 KM/H 0.5~12.5 MPH	
	INCLINE RANGE	0%-15% -151 LEVELS	
	ELECTROMAGNETIC BRAKE	•	
	MAX. USER WEIGHT	180 KG (400 LBS)	
	HAND PULSE	•	
	HEART RATE RECEIVER	•	
	FAN		
	RUNNING BELT	SLAT BELT	
	WIRELESS CHEST STRAP	0	
DIMENSION	RUNNING SURFACE	500 x 1470 MM (20" x 58")	
	LxWxH	1820 x 855 x 1455 MM (71.5" x 33.7" x 57.3")	
	UNIT WEIGHT	210 KG (462 LBS)	

# **TOP PERFORMANCE ELITE**

Engaging and effective way to run!



#### MOTORIZED DRIVE SYSTEM

Speed and incline adjustment during workout. Suitable for longer training sessions.

#### MAINTENANCE FREE

Safe and comfortable slat running surface, resulting in less wear, less friction, and a longer overall treadmill life.

#### **BIOMECHANICS**

Help to consume more oxygen, higher heart rates, and higher running cadence.

#### **DURABLE SLAT BELT**

High performance, running quietly, running smoothly and high shock absorption capacity.













# AR-22/23 ECO

#### AR-22 ECO

#### AR-23 ECO

		AR-22 ECO	AR-23 ECO
CONSOLE	DISPLAY TYPE	LCD (127 X 61 MM)	
PRODUCT FEATURE	POWER REQUIREMENT	SELF-POWERED	
	RESISTNCE TYPE	MAGNET	
	CONSOLE POWER	POWER CORD	
	CONSOLE READOUT	SPEED, DISTANCE, CALORIE, H	HEART RATE, TIME, RESISTANCE LEVE
	CONSOLE ANGLE	ADJUSTABLE	
	BOTTLE HOLDER	•	
FECHNICAL SPEC	MAGNET RESISTANCE LEVEL	16	
	SPEED RANGE	USER DEFINED	
	INCLINE RANGE	0% ~ 20%	0% ~ 15%
	MAX. USER WEIGHT	180 KG (400 LBS)	
	RUNNING BELT	SLAT BELT	
	TRANSPORTATION WHEEL	•	
DIMENSION	RUNNING SURFACE	560 x 1470 MM (22" x 58")	500 x 1470 MM (20" x 58")
	LxWxH	1908 x 915 x 1453 MM	1820 x 855 x 1455 MM
		(75.1" x 36" x 57.2")	(71.5" x 33.7" x 57.3")
	UNIT WEIGHT	210 KG (462 LBS)	185 KG (407 LBS)









Up to 16 levels to help you strengthen the muscles with effective core workout by using the resistance lever on the lateral handlebars.

#### **SELF-POWERED TRAINING**

Uses bodyweight and the friction of foot to move the belt to define baselines for each your maximum heart rate, velocity, and oxygen uptake.

#### **DURABLE SLAT BELT**

Advanced maintenance-free belts, high performance, running quietly, running smoothly and high shock absorption capacity.

#### MOTORISED INCLINE

Adjustable electric incline for gravity assisted start-up.













**ST-22** 

UNIT WEIGHT

OI LL		91-22.1	91-77-7	
CONSOLE	DISPLAY TYPE	LED DOT-MATRIX	18.5" HD TFT-LCD, CAPACITIVE TOUCH	
DISPLAY	DATA READOUT	LEVEL, CALORIES, TIME, DISTANCE, SPM	TIME, DISTANCE, PULSE, CALORIES, SPM, SPM LEVEL, TOTAL STEPS, VO2, HEART RATE ZONE, WORKOUT PROFILE	
	PROGRAM	TIME GOAL, DISTANCE GOAL,	TIME GOAL, FLOOR GOAL, CALORIES GOAL,	

OT 99 1

			HEART RATE ZONE, WORKOUT PROFILE
	PROGRAM	TIME GOAL, DISTANCE GOAL, CALORIES GOAL, MARATHON, RANDOM, HILL, SPEED INTERVAL, FAT BURN, CARDIO, FITNESS TRAINING 40, HILL HEART RATE CONTROL, INTERVAL HEART RATE CONTROL, INTERVAL HEART RATE CONTROL, INTERVAL HEART RATE CONTROL, INTERVAL HEART RATE CONTROL,	TIME GOAL FLOOR GOAL, CALORIES GOAL, MARATHON, RANDOM, HILL, INTERVAL, TRAINING SIK, FRANTING SIK, FARTLEK, 2-SPEED INTERVAL, 3-SPEED INTERVAL, S-SPEED INTERVAL, HEART RATE, CONTROL, TARGET HEART RATE CONTROL, TARGET HEART RATE CONTROL, FATBURN HEART RATE CONTROL, FATBURN HEART RATE CONTROL, FATBURN HEART RATE
	SPM LEVEL	20	20
	MULTIMEDIA	+	DTV, MIRROR CAST, HDMI IN, WEBVIEW
	BTM FUNCTION	0	•
	NFC	-	0
	QR CODE		•
	QUICK BUTTONS	•	•
	USB CHARGING	•	•
	BOTTLE HOLDER	•	•
AL	DRIVE SYSTEM	AC 2.0 HP MOTOR	
	ELECTROMAGNETIC BRAKES	•	
	MAX. USER WEIGHT	180 KG (400 LBS)	

	BOTTLE HOLDER	•
TECHNICAL	DRIVE SYSTEM	AC 2.0 HP MOTOR
SPEC	ELECTROMAGNETIC BRAKES	•
	MAX. USER WEIGHT	180 KG (400 LBS)
	HEART RATE RECEIVER	•
	FAN	•
	TRANSPORTATION WHEEL	4 WHEELS FOR EASY MOBILITY AND POSITIONING
	START HEIGHT	260 MM (10.25")
	STEP HEIGHT	190 MM (7.5°)
	STEP AREA	530 x 246 x 190 MM (20.9" x 9.7" x 7.5")
	STEP AREA	530 x 246 x 190 MM (20.9" x 9.7" x 7.5")
DIMENSION	LxWxH	1560 x 1000 x 2140 MM (61.7" x 39.4"X x 84.3")

231 KG (509.27 LBS)

MAXIMIZE YOUR POTENTIAL ULTRA STEPMILL

Paired with the new technologies, and powerful AC motor drive system to bring you the totally new exercise experience.



#### STEP ASIDE COMFORTABLY

Lateral footrests provide a convenient foothold for stepping aside to take a break.

#### **ENJOY MORE VARIETY AND AGILITY**

Sturdy structure and large step area allow users to perform exercise with more fun and utilize the entire step surface during workouts.

#### POWERFUL AC MOTOR DRIVE SYSTEM

Maintain the long time continuously and smoothly driving and resistance for different training.


#### SMART QUICK BUTTONS AND PRESET PROGRAM.

Provide the safety exercise and also reduce the cost of maintenance.













# **T-22 PR0**

#### T-22 PR0.1

#### T-22 PRO. 2

CONSOLE	DISPLAY TYPE	LED DOT-MATRIX	18.5" HD TFT-LCD, CAPACITIVE TOUCH
DATA READOUT	DISPLAY	TIME, DISTANCE, PULSEM CALORIES, SPEED, INCLINE	TIME, DISTANCE, PULSE, CALORIES, SPEED, INCLINE, PACE/MIN, VO2, HEART RATE ZONE, WORKOUT PROFILE LAP
PROGRAMING	PRESET PROGRAM	6	
	LEVEL	20	20
	GOAL	3	3
	HRC	3	5
	MANUAL	1	1
	USER	-	-
	PHYSICAL TEST	5	5
	TEST	1	2
	TRAINING	2	3
	CUSTOM	-	•
	VIRTUAL ACTIVE	-	•
PRODUCT	MULTIMEDIA	9	DTV, MIRROR CAST, HDMI IN, WEBVIEW
FEATURE	INTERNET	12	•
	MIRROR		•
	HDMI IN	-	•
	BTM FUNCTION	0	•
	NFC		0
	QR CODE	-	•
	QUICK BUTTONS	•	•
	USB CHARGING	•	•
	BOTTLE HOLDER	•	•
TECHNICAL	CON. HP	AC 4.0 HP	
SPEC	PEAK HP	AC 8.0 HP	
	SPEED RANGE	0.8-25 KM/H 0.5-15.6 MPH	
	INCLINE RANGE	0%~20% (201 LEVELS)	
	ROLLER	100 MM (4")	
	MAX. USER WEIGHT	180 KG (400 LBS)	
	HAND PULSE	•	
	HEART RATE RECEIVER	•	
	FAN	•	
	WIRELESS CHEST STRAP	0	
DIMENSION	RUNNING SURFACE	550 x 1575 MM (22" x 62")	
	LxWxH	2225 x 945 x 1620 MM (87.5" x 37	" x 64")



#### LARGE SIZE BOTTLE HOLDER AND ACCESSORY TRAY

For users to hold mobile phone, water bottle and so on.

#### **POWERFUL 4 HP AC MOTOR**

Delivers a smooth, reliable workout

#### WIDE-OPEN, LARGE RUNNING SURFACE AND STURDY FRAME

Allow freedom of movement, provide users more comfortable, enjoyable workout environment

#### ERGO PANEL HANDLE BAR

Place most frequent used control buttons and hand pulse on the handle to maximize the safety and convenience







# E-22






**E-22** 

E-22.1

#### E-22.2

		L-22.1	L-EE.E
CONSOLE	DISPLAY TYPE	LED DOT-MATRIX	TFT-LCD 10.1" CAPACITIVE TOUCH
DATA READOUT	DISPLAY	TIME, SPEED, RPM, DISTANCE, PULSE, CALORIES, WATT	HEART RATE, VO2, HEART RATE ZONE, DISTANCE, TIME, RPM, WATT, CALORIES, SPEED, WORKOUT PROFILE
PROGRAMING	PRESET PROGRAM	6	-
	HRC	6	5
	TEST	2	-
	MANUAL	1	1
	USER	-	-
	GOAL	3	3
	WATT	1	1
	RPM		1
	RECOVERY	-	1
	CUSTOM	-	•
	VIRTUAL ACTIVE	-	•
PRODUCT FEATURE	MULTIMEDIA		DTV, MIRROR CAST, HDMI IN, WEBVIEW
	FAN	•	•
	BTM FUNCTION	0	•
	NFC		0
	QR CODE	-	•
	USB CHARGING	•	•
	BOTTLE HOLDER	•	•
	ACCESSORY TRAY	•	•
	ERGO SEAT ADJUSTMENT	-	
	PEDAL ADJUSTMENT	-	-
	TRANSPORTATION WHEEL	•	•
TECHNICAL SPEC	RESISTANCE SYSTEM	GENERATOR	
	TRANSMISSIONS SYSTEM	V-BELT	
	FLY WHEEL	242 MM (14.5 KG)	
	TRANSMISSIONS RATIO	1:7.55	
	RESISTANCE LEVEL	40	
	POWER	AC POWER CORD	
	MAX. USER WEIGHT	180 KG (400 LBS)	
	MAX. WATT	400 WATT	
	STRIDING LENGTH	350-550 MM	
	HAND PULSE	•	
	HEART RATE RECEIVER	•	
	WIRELESS CHEST STRAP	0	
DIMENSION	LxWxH	2125 x 760 x 1790 MM (83.5" x 30"	× 70.5°)
	UNIT WEIGHT	175 KG (386 LBS)	







## OVERSIZED PEDALS WITH NARROW SPACING

Narrow spacing design to create relatively high strength and slide prevention.

#### **ERGO COMFORT HANDLEBAR**

The motions you make while using E-22 elliptical are smooth and controlled.

#### THE MOST ADVANCED HI-TECH TOUCH SCREEN

Paired with the new technologies, more accurate multi-touch interfaces.

#### PATENTED ADJUSTABLE STRIDE

Perfect stride length between 350-550mm adjustability. The motion combines the advantages of both, stepper and elliptical. Stride for a smooth feeling, total-body workout or focus more on your lower body.







**R-22** 

R-22.1

R-22.2

		N-22.1	N-22.2
CONSOLE	DISPLAY TYPE	LED DOT-MATRIX	TFT-LCD 10.1" CAPACITIVE TOUCH SCREEN
DATA READOUT	DISPLAY	TIME, SPEED, RPM, DISTANCE, PULSE, CALORIES, WATT	HEART RATE, VO2, HEART RATE ZONE, DISTANCE, TIME, RPM, WATT, CALORIES, SPEED, WORKOUT PROFILE
PROGRAMING	PRESET PROGRAM	6	-
	HRC	6	5
	TEST	2	-
	MANUAL	1	ī
	USER	-	-
	GOAL	3	3
	WATT	1	1
	RPM		1
	RECOVERY	-	1
	CUSTOM	=	•
	VIRTUAL ACTIVE	-	•
PRODUCT FEATURE	MULTIMEDIA	-	DTV, MIRROR CAST, HDMI IN, WEBVIEW
	FAN	•	•
	BTM FUNCTION	0	•
	NFC	2	
	QR CODE	-	•
	USB CHARGING	•	•
	BOTTLE HOLDER	•	•
	ACCESSORY TRAY	•	•
	ERGO SEAT ADJUSTMENT	•	•
	PEDAL ADJUSTMENT	•	•
	TRANSPORTATION WHEEL	•	•
TECHNICAL SPEC	RESISTANCE SYSTEM	GENERATOR	
	TRANSMISSIONS SYSTEM	V-BELT	
	FLY WHEEL	242 MM (14.5 KG)	
	TRANSMISSIONS RATIO	1:8.1	
	RESISTANCE LEVEL	40	
	POWER	GENERATOR	
	ADAPTER	•	
	MAX, USER WEIGHT	180 KG (400 LBS)	
	MAX, WATT	400 WATT	
	STRIDING LENGTH		
	HAND PULSE	•	
	HEART RATE RECEIVER	•	
	WIRELESS CHEST STRAP	0	
DIMENSION	LxWxH	1980 x 595 x 1305 MM (78" x 23.5"	' x 51.5")
	UNIT WEIGHT	92.5 KG (204 LBS)	

# **EVERY TIME A GOOD TIME**

The self-generating brake system offers low-to-high pedal resistance with minimal vibration throughout the training.



#### **ERGONOMIC SEAT AND BACKREST**

Exercising in a laid-back reclining position with ergonomic seat and backrest make the rider's weight distributed comfortably over a larger area.

#### **WIDE AND EASY-ADJUST PEDAL DESIGN**

 $28 \ levels$  width pedal adjustment for any size of foot to protect ankles during exercising.

#### PATENTED SLIDING SEAT MECHANISM

Enable to provide the maximum convenience and stability, easy to adjust for the most comfortable seat position.

#### WIDE WALKTHROUGH DESIGN

The best recumbent bike provides invigorating, low-impact exercise and offers intense workouts in comfortable designs.













**B-22** 

B-22.1

#### B-22.2

CONSOLE	DISPLAY TYPE	LED DOT-MATRIX	TFT-LCD 10.1° CAPACITIVE TOUCH
DATA READOUT	DISPLAY	TIME, SPEED, RPM, DISTANCE, PULSE, CALORIES, WATT	HEART RATE, VO2, HEART RATE ZONE, DISTANCE, TIME, RPM, WATT, CALORIES SPEED, WORKOUT PROFILE
PROGRAMING	PRESET PROGRAM	6	-
	HRC	6	5
	TEST	2	-
	MANUAL	1	1
	USER	-	2
	GOAL	3	3
	WATT	1	1
	RPM	-	1
	RECOVERY	-	1
	CUSTOM	-	•
	VIRTUAL ACTIVE	-	•
PRODUCT FEATURE	MULTIMEDIA		DTV, MIRROR CAST, HDMI IN, WEBVIEW
	FAN	•	•
	BTM FUNCTION	0	•
	NFC		
	QR CODE	3-	•
	USB CHARGING	•	•
	BOTTLE HOLDER	•	•
	ACCESSORY TRAY	•	•
	ERGO SEAT ADJUSTMENT	•	•
	PEDAL ADJUSTMENT	•	•
	TRANSPORTATION WHEEL	•	•
TECHNICAL SPEC	RESISTANCE SYSTEM	GENERATOR	
	TRANSMISSIONS SYSTEM	V-BELT	
	FLY WHEEL	242 MM (14.5 KG)	
	TRANSMISSIONS RATIO	1:8.1	
	RESISTANCE LEVEL	40	
	POWER	GENERATOR	
	ADAPTER	•	
	MAX. USER WEIGHT	180 KG (400 LBS)	
	MAX. WATT	400 WATT	
	STRIDING LENGTH	-	
	HAND PULSE	•	
	HEART RATE RECEIVER	•	
	WIRELESS CHEST STRAP	0	
DIMENSION	LxWxH	1195 x 595 x 500 MM (47" x 23.5" >	(59")
	UNIT WEIGHT	66 KG (146 LBS)	



#### WIDE AND EASY-ADJUST PEDAL DESIGN

28 levels width pedal adjustment for any size of foot to protect ankles during exercising.

#### **MULTI-GRIP HANDLEBARS**

Offer three different training positions to better suit your needs or preferences.

#### ERGONOMIC AND EASY-ADJUST SEAT DEPTH

Provide optimal comfort, easy to adjust to fit the best workout position with only one hand.

#### SELF-POWERED GENERATING SYSTEM

High-performance system achieves an outstanding output, quietness and low vibration while training.













**VE-22** 

VE-22.1

VE-22.2

CONSOLE	CONSOLE TYPE	LED DOT-MATRIX	TFT-LCD 10.1" CAPACITIVE TOUCH SCREEN
	SAFETY KEY	-	-
	QUICK START KEY	•	•
	QUICK NUMBER KEY	•	-
	DISTANCE UNIT	KM/MILE	KM/MILE
	PROGRAMS	MANUAL, GOAL, HRC, WATT, FITNESS TEST, INTERVAL, PERSET 1-3	GOAL, HRC, RECOVERY, RPM, WATT, VIRTUAL ACTIVE
DATA READOUT	DISPLAY	HEART RATE, STEP, PACE, DISTANCE, TIME, RPM, WATT, CALORIES	HEART RATE, HEART RATE ZONE, VO2, RPM WATT, DISTANCE, TIME, CALORIES, STRIDE, WORKOUT PROFILE
	PRESET PROGRAM	6	-
	HRC	6	5
	TEST	2	-
	MANUAL	1	1
	USER		-
	GOAL	3	3
	WATT	1	1
	RPM		1
	RACE MODE	-	-
PRODUCT	RECOVERY	-	1
FEATURE	CUSTOM		•
	VIRTUAL ACTIVE	-	•
	MULTIMEDIA	-	DTV. MIRROR CAST, HDMI IN, WEBVIEW
	FAN	•	•
	BTM FUNCTION	Ō	•
	NFC	-	Ō
	OR CODE	-	•
	USB CHARGING	•	•
	BOTTLE HOLDER	•	•
	ACCESSORY TRAY	•	•
	ERGO SEAT ADJUSTMENT	•	•
	PEDAL ADJUSTMENT	•	•
	TRANSPORTATION WHEEL		
	HAND PULSE SENSOR	•	•
TECHNICAL	HEART RATE RECEIVER	•	
SPEC	WIRELESS CHEST STRAP	0	
	RESISTENCE SYSTEM	GENERATOR	
	POWER SYSTEM	GENERATOR	
	ADAPTOR	•	
	RESISTENCE LEVEL	40	
	START HEIGHT	254 MM (10")	
	PEDAL (W×L)	173 x 406 MM (6.8" x 16")	
	ADAPTIVE STRIDE LENGTH	250~1000 MM	
	MINIMUM WATT VALUE	10 WATT	
	MAXIMUM WATT VALUE	400 WATT	
	MAX. USER WEIGHT	180 KG (400 LBS)	
DIMENSION	LxWxH	2220 x 716 x 1760 MM (87.3" x 28.2" x 69"	

# STEP AS THE WAY YOU LIKE





Perfect stride length between 250-1000mm adjustability. The elliptical motion closely mimics a natural jogging Astride for a smooth feeling, total-body workout.

#### PROTECTION FRAME

The protection frame is designed to protect people from being hit while walking over from the front.

#### **USB POWER CHARGING**

Allow users to charge the USB devices while exercising to be able to enjoy the workout without any concern of run out of electricity of their smart devices.

#### CENTRAL HANDLEBARS WITH DUICK BUTTONS

Allow user to adjust the resistance level easily while exercising.











## **DT-22**

		UI-ZZ.I
CONSOLE	DISPLAY TYPE	LCD (127 x 61 MM)
PRODUCT FEATURE	POWER REQUIREMENT	SELF-POWERED
	RESISTNCE TYPE	BELT
	CONSOLE POWER	BATTERY, GENERATOR
	CONSOLE READOUT	SPEED, DISTANCE, CALORIE, HEART RATE, TIME,
		RESISTANCE LEVEL
	CONSOLE ANGLE	ADJUSTABLE
	BOTTLE HOLDER	•
TECHNICAL SPEC	DECK TYPE	REVERSIBLE PHENOLIC DECK
	MAGNET RESISTANCE LEVEL	16
	SPEED RANGE	USER DEFINED
	INCLINE RANGE	7° OR 12° FIXED
	MAX. USER WEIGHT	180 KG (400 LBS)
	TRANSPORTATION WHEEL	•
DIMENSION	RUNNING SURFACE	550 x 1525 MM (22" x 60.04")
	LxWxH	2275 x 895 x 1490 MM (89.57" x 35.24" x 58.66")
	UNIT WEIGHT	226 KG (498 LBS)





Comply with the different heart rate range, the console would show different backlight.

# UNLEASH EXPLOSIVE POWER

Strengthen the muscles with effective core workout.



#### **DUAL TRAINING SYSTEM**

Belt resistance, up to 16 levels to help you strengthen the muscles

#### **FIXED INCLINE FRAME**

Fixed 7 or 12 degrees in incline for gravity assisted start-up and uphill training.

#### **ERGONOMIC SUPPORT FRAME**

Exciting multi-purpose fitness with effective core workout.

#### ADJUSTABLE CONSOLE AND BIG DISPLAY

Real-time data display with multi-angle adjustable console.

Different heart rate zones are presented in different screen colors.











# **RW-22**

#### RW-22.1

CONSOLE	DISPLAY TYPE	LCD WITH BACK LIGHT	
	DIMENSION	127 x 61 MM	
	ADJUSTABLE ANGLE	•	
	CONSOLE POWER	2 D BATTERIES REQUIRED, GENERATOR	
DATA READOUT	DISPLAY	TIME, TIME 500M, WATT, CALORIES/HOUR, STROKES, PULSE	
		DISTANCE (METER), SPM, LEVEL	
PROGRAMING	MANUAL PROGRAM	•	
	CUSTOM PROGRAM	•	
	DISTANCE PROGRAM	•	
	RACE PROGRAM	•	
PRODUCT FEATURE	ERGONOMIC HANDLEBAR	•	
	COOLING FAN	•	
	FOLDING DESIGN	•	
	HAND PULSE		
	HEART RATE RECEIVER	•	
	WIRELESS CHEST STRAP	0	
	CHAIN OR CORD	NICKEL-PLATED STEEL CHAIN	
	SUPPORT LEGS	WELDED-STEEL	
	TRANSPORTATION WHEEL	•	
TECHNICAL SPEC	RESISTANCE SYSTEM	AIR	
	RESISTANCE LEVEL	MANUAL 8 LEVELS	
	MAX. USER WEIGHT	180 KG (400 LBS)	
DIMENSION	ASSEMBLY L x W x H	2460 x 1255 x 620 MM (97" x 24.4" x 49.4)	
	FOLDED LxWxH	1383 x 625 x 1566 MM (54.4" x 24.6" x 61.7")	

# REAL WORKOUT REAL RESULTS





#### **8-LEVEL AIR RESISTANCE SYSTEM**

Ergonomic seat molded for comfort and stability. Motion smoothly with anti-corrosion and anti-rust aluminum track.

#### **ERGONOMIC AND OVERSIZED FOOTRESTS**

Paired with the adjustable belt, suitable for all foot sizes.

Find the best resistance levels for most effective workouts. Bring the feeling to actual rowing on the water.

#### **FOLDABLE FOR EASY STORAGE**

Be folded for easy and hassle-free storage. Include built-in wheels to further enhance the portability and storage.











**S-22** 

#### **S-22**

		ULL	
CONSOLE	DISPLAY TYPE	LCD	
DATA READOUT	DISPLAY	TIME, RPM, DISTANCE, PULSE, CALORIES, WATT	
PROGRAMING	PRESET PROGRAM	-	
	HRC	19	
	TEST	-	
	MANUAL	1	
	USER	-	
	GOAL	-	
	WATT	-	
	RACE MODE	-	
	RECOVERY	-	
	CUSTOM	ie.	
PRODUCT FEATURE	TV SYSTEM		
	BTM FUNCTION		
	USB CHARGING	-	
	BOTTLE HOLDER	•	
	ACCESSORY TRAY	-	
	ERGO SEAT ADJUSTMENT	•	
	PEDAL ADJUSTMENT		
	TRANSPORTATION WHEEL	•	
TECHNICAL SPEC	RESISTANCE SYSTEM	MANUAL MAGNETIC	
	TRANSMISSIONS SYSTEM	V-BELT	
	FLY WHEEL	402 MM (3.4 KG)	
	TRANSMISSIONS RATIO	1:10	
	RESISTANCE LEVEL	20	
	POWER	BATTERY (CONSOLE)	
	ADAPTOR	-	
	MAX. USER WEIGHT	140 KG (310 LBS)	
	MAX. WATT	300 WATT	
	STRIDING LENGTH	-	
	HAND PULSE		
	HEART RATE RECEIVER	•	
	WIRELESS CHEST STRAP	0	
DIMENSION	LxWxH	1367 x 581 x 1081 MM (53.8" x 22.9" x 42.5")	
	UNIT WEIGHT	43.5 KG (96 LBS)	

# **EXPERT ENGINEERING AND INNOVATION**





Allow users to more choices with reversible two-sided design. SPD \* to ensure the shoe and pedal combination offer you the right level of usability and comfort for the type of riding you're doing.

#### **DUAL AXIS HANDLEBARS WITH BIG DISPLAY**

The adjustable handlebars allow users to get the most comfortable hand place position.

#### EASY TWIST POP PIN KNOB

The twist pop-pin knob allows user to adjust easily the seat height and fix the seat tube.

#### TRANSPORT WHEELS

The transport wheels allow to easily move the spinning bike's location.







# **VERTEX**